Press Service
SOLA-Messwerkzeuge GmbH
(SOLA Measuring Tools)

Götzis, Austria, March 2020

Crossline P2 Green

The self-levelling line and point laser with REAL GREEN technology

The new Crossline P2 Green is SOLA's follow-up model to the Crossline Green line laser, already available as part of the product portfolio. New features include two red plumb points and a switchable tilt function. The Crossline P2 Green is ideally suited for tasks such as plumbing, levelling, aligning or marking out right angles in drywall and interior construction.

Reliable application and optimal visibility
The Crossline P2 Green is a self-levelling line and point laser and is suitable for both professional tradespeople and DIY enthusiasts alike. This compact device features a horizontal and a vertical laser line for distances up to 25 m. When used together with a hand-held receiver, the laser can achieve a range of up to 80 m and can also be used in inadequate lighting conditions. The light green REAL GREEN laser lines allow users to work with considerably more precision and ensure optimal visibility even over large distances.

Transferring plumb points
The Crossline P2 Green's new features include two centered red plumb points. The device projects one red plumb point on to the floor and one on to the ceiling to help precisely transfer references points.

Switchable tilt function
The self-levelling laser Crossline P2 Green has a tilting function which can be simply and quickly turned on when required. This function is especially helpful when working in slanting positions, for example, when you need to mark sloping surfaces. For stairs, loft conversions, paintwork or wall mounting, SOLA also offers an inclination adapter which can be used together with the laser.

Practical package
The Crossline P2 Green is delivered together with a magnetic wall mount, laser visibility glasses and batteries all in a practical carrying case. With the height-adjustable wall mount, the laser can be easily mounted on the wall with a nail hole, conveniently fixed to drywall tracks or placed on the floor.

www.sola.at

Number of characters: 1,991 (including spaces); number of words: 321

Image Overview

The following images in print resolution form are available to download for publications:
https://solatransfer.sharefile.com/d-sacb11d7edc240ab9

File: sola_pic_prd_la_crossline_p2_green_shadow_hq_002
Caption: Crossline P2 Green – the self-levelling line and point laser with REAL GREEN technology.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_gra_app_la_lin_crossline p2 green
Caption: The Crossline P2 Green has a horizontal and a vertical laser line as well as two plumb points.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_la_crossline_p2_green_004
Caption: Two centred red plumb points ensure reference points are precisely transferred.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_la_crossline_p2_green_008.tif
Caption: The laser's tilt function makes it easier to work in slanting positions.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_la_crossline_p2_green_001
Caption: The light green laser line ensures optimal visibility of up to 25 m or up to 80 m with a receiver.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_la_crossline_p2_green_002
Caption: The magnetic wall mount is included with delivery.
Copyright: SOLA-Messwerkzeuge GmbH

Images: Publication free of charge. Voucher copy politely requested.

Tables

Crossline P2 Green | Technical data	
Included accessories	Crossline P2 Green Wall mount WH 3x 1.5 V AA batteries LB Green laser visibility glasses Case
Measuring tolerance	± 0.20 mm/m ± 0.50 mm/m (plumb points)
Self-levelling range	± 4°
Application range without handheld receiver (radius)	25 m*
Application range with handheld receiver (radius)	80 m*
Operating temperature	-10 °C to +50 °C
Tripod adapter	1/4" + 5/8"
Protection class	IP54
Power supply	3x 1.5 V AA batteries
Operating time (at 20 °C)	7 h (all diodes)
Laser class	2, DIN EN 60825-1 : 2014

*Depending on the ambient conditions in the workplace.

Press Contact

PRESS CONTACT	READER CONTACT
SOLA-Messwerkzeuge GmbH Sarah Blass, MA Marketing Communications T +43 5523 53380-217 sarah.blass@sola.at www.sola.at	SOLA-Messwerkzeuge GmbH Unteres Tobel 25 6840 Götzis, Austria T +43 5523 53380-0 sola@sola.at www.sola.at

For more press releases and digital press packs visit https://www.sola.at/en/about-sola/press

About SOLA-Messwerkzeuge GmbH:
Since 1949 the SOLA brand has meant high precision measuring and marking tools. As market leader in premium spirit levels, the Austrian company manufactures a wide range of products, including screeding levels, folding rules, long and short tapes, squares, marking products, laser distance meters and a customized laser program. SOLA's approach is to develop and continuously optimize its products to match its customers' requirements as closely as possible. SOLA Measuring Tools are sold in 70 countries around the world. 75% of all products are manufactured in Götzis, Austria, where the headquarters and production facility are located. This is where 200 employees develop, produce and distribute a product range of more than 1,500 products. The high quality standards that SOLA has set for itself are subjected to constant control in the company's own laboratories and testing facilities. Find out more at www.sola.at

https://www.instagram.com/solameasuringtools
https://www.facebook.com/SOLAMesswerkzeuge/
https://www.youtube.com/user/SOLAMesswerkzeuge
https://www.linkedin.com/company/sola-measuring-tools