Press Service
SOLA-Messwerkzeuge GmbH
(SOLA Measuring Tools)

Götzis, Austria, February 2020

MRMI Installation

The special purpose spirit level with installation dimensions

The MRMI Installation level from SOLA is the right spirit level for taking measurements during installation work. The robust aluminum profile with its hard anodized coating prevents annoying color abrasion on the measured object. The laterally integrated, extra-powerful neodymium magnet and the V nut ensure optimal adhesion of the spirit level to metallic surfaces and pipes. Thanks to the printed scale with standard installation measurements, installation points can be easily transferred.

Practical scaling and installation dimensions
The MRMI Installation from SOLA features printed installation dimensions and double scaling on the top side of the profile. The marking aids on the scale correspond to standard installation dimensions, so installation points can be transferred quickly and easily. The double scaling is particularly advantageous when working in confined spaces. Unlike a centrally aligned scale, the MRMI Installation can be used on both sides.

Four-ring vial for inclines
The MRMI Installation features a four-ring horizontal vial made from break-resistant acrylic. The distance between the rings corresponds to a 2% incline and is therefore ideal for showing or checking inclines for horizontal measurement. With a maximum measurement tolerance of 0.50 mm/m and 0.75 mm/m for inverted positions, the MRMI Installation from SOLA delivers optimal accuracy values.

Powerful neodymium magnets with lateral installation
The MRMI Installation from SOLA is equipped with extra-powerful neodymium magnets. Whether positioned horizontally or vertically, they ensure optimal adhesion to metallic surfaces. This is advantageous as it frees up the hands, allowing you to work more quickly and precisely. Since the magnets are installed laterally, they do not become detached when exposed to vibrations or heat, and remain securely installed at all times.

V nut for curved surfaces
Thanks to the integrated V nut across the entire measuring surface, the MRMI Installation from SOLA provides a secure hold without slippage even on curved surfaces and/or pipes. The installation spirit level's profile is naturally anodized and does not leave any color residues when measuring on sensitive surfaces, such as freshly painted walls.

Compact 40-cm version
As well as the 100 cm version of the MRMI Installation, there is also a compact version available with a length of 40 cm. The 40-cm version is ideally suited for measurements on small contact surfaces and can be easily transported in all standard toolboxes.

www.sola.at

Number of characters: 2,588 (including spaces); number of words: 387

Image Overview

The following images in print resolution form are available to download for publications:
https://solatransfer.sharefile.com/d-s58e20309d4d4649a

File: sola_pic_prd_ww_mrmi_100_persp2
Caption: The MRMI Installation 100 from SOLA is the special purpose spirit level for installation work.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_prd_ww_mrmi_40_persp2
Caption: The compact version of the MRMI Installation from SOLA has a length of 40 cm.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_ww_mrmi_installation_005
Caption: Thanks to the double printed scale with standard installation measurements, installation points can be easily transferred.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_ww_mrmi_installation_009
Caption: The break-resistant four-ring horizontal vial is ideal for showing or checking 2% inclines.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_ww_mrmi_installation_008
Caption: The laterally integrated, extra-powerful neodymium magnets and the V nut ensure optimal adhesion of the spirit level to metallic surfaces and pipes.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_ww_mrmi_installation_001
Caption: The MRMI Installation 40 is ideally suited for measurements on small contact surfaces.
Copyright: SOLA-Messwerkzeuge GmbH

File: sola_pic_app_ww_mrmi_installation_002
Caption: The MRMI Installation 40 is ideally suited for measurements on small contact surfaces.
Copyright: SOLA-Messwerkzeuge GmbH

Images: Publication free of charge. Voucher copy politely requested.

Press Contact

PRESS CONTACT	READER CONTACT
SOLA-Messwerkzeuge GmbH Sarah Blass, MA Marketing Communications T +43 5523 53380-217 sarah.blass@sola.at www.sola.at	SOLA-Messwerkzeuge GmbH Unteres Tobel 25 6840 Götzis, Austria T +43 5523 53380-0 sola@sola.at www.sola.at

For more press releases and digital press packs visit https://www.sola.at/en/about-sola/press

About SOLA-Messwerkzeuge GmbH:
Since 1949 the SOLA brand has meant high precision measuring and marking tools. As market leader in premium spirit levels, the Austrian company manufactures a wide range of products, including screeding levels, folding rules, long and short tapes, squares, marking products, laser distance meters and a customized laser program. SOLA's approach is to develop and continuously optimize its products to match its customers' requirements as closely as possible. SOLA Measuring Tools are sold in 70 countries around the world. 75% of all products are manufactured in Götzis, Austria, where the headquarters and production facility are located. This is where 200 employees develop, produce and distribute a product range of more than 1,500 products. The high quality standards that SOLA has set for itself are subjected to constant control in the company's own laboratories and testing facilities. Find out more at www.sola.at

https://www.instagram.com/solameasuringtools
https://www.facebook.com/SOLAMesswerkzeuge/
https://www.youtube.com/user/SOLAMesswerkzeuge
https://www.linkedin.com/company/sola-measuring-tools